

L 400 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841611118

E-Nr. 924360019

● steinel

250 x 215 x 336 mm



L 400 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841611118

E-Nr. 924360019

Technical Data

DIMENSIONS		Optimal mounting height		2 m	Base light function percent from		0 %
Dimensions L x W x H		250 x 215 x 336 mm					
ELECTRICAL		CONNECTIVITY			HOUSING & MATERIAL		
Mains connection		Networking		No	Impact resistance		IK03
Power		Slave mode adjustable		No	Protection class (IP)		IP44
Own consumption		LIGHTING TECHNOLOGY			Protection class		II
60 W		With illuminant		No	Ambient temperature		from -20 up to 40 °C
0,8 W		Illuminant		All-purpose lamp	Housing material		Plastic
SENSOR TECHNOLOGY		Base		E27	Cover material		Glass transparent
Max. mounting height		Soft light start		Yes	Cover material (scope of delivery)		shrouds
Sensor technology		Continuous light		selectable, 4h	Mounting location		wall
With motion detector		SETTINGS			Application location		Outdoors
Detection angle		Twilight switch		Yes	Mounting type		Surface wiring
Opening angle		Twilight setting		2 – 2000 lx	Application room		all round the building courtyard & driveway front door outdoors terrace / balcony
Sneak-under protection		Time setting		5 s – 15 Min.			
Segment-by-segment masking		Base light function		Yes	Colour		white
Electronic scalability		Settings via		Potentiometers	SCOPE OF DELIVERY & WARRANTY		
Mechanical scalability		With remote control		No	Manufacturer warranty		5 years
Radial range		Base light function in percent		0 – 50 %			
Tangential range							
r = 3 m (19 m²)							
Mounting height							
r = 12 m (302 m²)							
1,80 – 6,00 m							

L 400 S white


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841611118

E-Nr. 924360019

Illustrations

TECHNICAL DRAWINGS



250 x 215 x 336 mm

MOUNTING HEIGHT

1,80 – 6,00 m BEREICH	2 m OPTIMAL	6,00 m MAX
--------------------------	----------------	---------------

L 400 S white


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841611118

E-Nr. 924360019

Wiring Diagrams

WIRING DIAGRAM 1



Slave/wireless master interconnection circuit diagram

L 400 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841611118

E-Nr. 924360019

Highlights



Crystal glass shade



Optional basic lighting level 0 - 50 %



UV-resistant plastic

L 400 S white

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841611118

E-Nr. 924360019

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841630416	Eckwandhalter 03	Accessory

ORDERING INFORMATION	
Art.-Nr.	611118
EAN	4007841611118
E-Number	924360019
Typ	L 400 S white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss